Biochimie (1997) 79, 799–808
© Société française de biochimie et biologie moléculaire / Elsevier, Paris

Keyword index 1997

A

β-actin – Glutamine and regulation of gene expression in mammalian cells. Special reference to phosphoenolpyruvate carboxykinase (PEPCK), 125

acetyl amino acids – The hog intestinal mucosa acylase I: Subcellular localization, isolation, kinetic studies and biological function, 265

acid – Fatty acid metabolism, pharmacological nutrients and hypertension, 135

actin interaction – Analysis of long range structural effects induced by DNase-I interaction with actin monomeric form or complexed to CapZ, 485

activating rearrangements – Oncogenic rearrangements of the *ret* proto-oncogene in thyroid tumors induced after exposure to ionizing radiation, 619

acyl-CoA:dihydroxyacetonephosphate acyltransferase – Copurification of dihydroxyacetone-phosphate acyl-transferase and other peroxisomal proteins from liver of fenofibrate-treated rats, 423

acylase I – The hog intestinal mucosa acylase I: Subcellular localization, isolation, kinetic studies and biological function, 265

adaptive response – Role of SOS and OxyR systems in the repair of *Escherichia coli* submitted to hydrogen peroxide under low iron conditions, 359

adenylylation – GTP-dependent modification of a 21-kDa substrate with NAD^+ in bovine brain soluble fraction is not ADP-ribosylation of small G-protein but tailing of tRNA, 407

adhesion – Metal-ion catalyzed oxidation affects fibrinogen activity on platelet aggregation and adhesion, 449

adipocytes – PPARγ and the control of adipogenesis, 111

adipogenesis – Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism, 81 – PPARγ and the control of adipogenesis, 111

ADP-ribosylation – GTP-dependent modification of a 21-kDa substrate with NAD^+ in bovine brain soluble fraction is not ADP-ribosylation of small G-protein but tailing of tRNA, 407

affinity labeling – Alkylation at the active site of the D-3-hydroxybutyrate dehydrogenase (BDH), a membrane phospholipid-dependent enzyme, by 3-chloroacetyl pyridine dinucleotide (3-CAPAD), 37

aggregation – Metal-ion catalyzed oxidation affects fibrinogen activity on platelet aggregation and adhesion, 449

Agrobacterium tumefaciens – Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3

annelid polychaete – Acetylcholinesterase in *Spirographis spallanzanii* (Polychaeta: Sedentaria): Presence of two dimeric membrane-bound forms, 397

annexin – Structure of human annexin I: Comparison of homology modelling and crystallographic experiment, 691

antibiotics – Molecular characterization of the prokaryotic *epf* gene product involved in a pepidyltransferase reaction, 7

antisense RNA – Decreased expression of the high-mobility group protein T160 by antisense RNA impairs the growth of mouse fibroblasts, 717

apolipoproteins – The effects of fibrates and thiazolidinediones on plasma triglyceride metabolism are mediated by distinct peroxisome proliferator activated receptors (PPARs), 95

apoptosis – Analysis of long range structural effects induced by DNase-I interaction with actin monomeric form or complexed to CapZ, 485 – On the use of Zn^{2+} to discriminate endonucleases activated during apoptosis, 435 – p53-dependent apoptosis and transcription of $p21^{waf/cip1/sdi1}$ in SCID mice following γ-irradiation, 607 – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613 – Decreased expression of the high-mobility group protein T160 by antisense RNA impairs the growth of mouse fibroblasts, 717

arachidonic acid metabolism – Structure and mechanism of lipoxygenases, 629

ATPase – Protein translocation functions of *Escherichia coli* SecY: *In vitro* characterization of cold-sensitive *secY* mutants, 517

B

bacterial differentiation – Bifunctional structure of two adenylyl cyclases from the myxobacterium *Stigmatella aurantiaca*, 757

bacteriophage lambda *bar* regions – Regulation of protein synthesis by minigene expression, 527

bacteriophage T4 – Characterization of an amino-terminal fragment of the bacteriophage T4 uvsY recombination protein, 275

bakers' yeast – The coenzyme A-synthesizing protein complex and its proposed role in CoA biosynthesis in bakers' yeast, 787

band 3 – *In vitro* properties and organ uptake of rat band 3 cross-linked erythrocytes, 53

base-pair lifetime – Internal motions of nucleic acid structures and the determination of base-pair lifetimes, 775

BASP1 – The BASP1 family is abundant in axonal termini myristoylated proteins. Primary structure analysis and physico-chemical properties, 373

Bcl-2 – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613

Bcl-x_L – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613

biocomputing – Protein structure prediction. Implications for the biologist, 681

biological electron and proton transfer – Hydrogenase: A hydrogen-metabolizing enzyme. What do the crystal structures tell us about its mode of action?, 661

bis-ANS – Effect of self association of bis-ANS and bis-azo dyes on protein binding, 23

brain proteins – The BASP1 family is abundant in axonal termini myristoylated proteins. Primary structure analysis and physico-chemical properties, 373

C

cadherin – Receptor protein tyrosine phosphatases: Involvement in cell-cell interaction and signaling, 477

calcium – The effect of different molecular species of sphingomyelin on phospholipase C δ1 activity, 741

CapZ – Analysis of long range structural effects induced by DNase-I interaction with actin monomeric form or complexed to CapZ, 485

carrier detection – Deletion screening and carrier detection in Duchenne muscular dystrophy in Polish population *via* direct analysis of DNA and RNA transcripts, 439

casein kinase II – Phosphorylation of Srp1p, the yeast nuclear localization signal receptor, *in vitro* and *in vivo*, 247

castanospermine – Trehalase of *Dictyostelium discoideum*: Inhibition by amino-containing analogs of trehalose and affinity purification, 229

catalase compound I – Structural analysis of compound I in hemoproteins: Study on *Proteus mirabilis*, 667

catalysis – Similarities of hydrolytic antibodies revealed by their X-ray structures: A review, 653

catenin – Receptor protein tyrosine phosphatases: Involvement in cell-cell interaction and signaling, 477

cathepsins – Proregion structure of members of the papain superfamily. Mode of inhibition of enzymatic activity, 645

cell adhesion – Receptor protein tyrosine phosphatases: Involvement in cell-cell interaction and signaling, 477

cell membrane anchoring – Acetylcholinesterase in *Spirographis spallanzanii* (Polychaeta: Sedentaria): Presence of two dimeric membrane-bound forms, 397

checkpoints – Cell cycle checkpoints in bacteria, 549

Chlamydomonas reinhardtii – *Chlamydomonas* U2, U4 and U6 snRNAs. An evolutionary conserved putative third interaction between U4 and U6 snRNAs which has a counterpart in the $U4_{atac}$-$U6_{atac}$ snRNA duplex, 387

CHO double mutant – Characterization of the sensitivity to various genotoxic agents of the UVU1 CHO cell line, a double mutant from UV complementation group 1, 261

cholinesterase – Acetylcholinesterase in *Spirographis spallanzanii* (Polychaeta: Sedentaria): Presence of two dimeric membrane-bound forms, 397

chromatin – Vanadates form insoluble complexes with histones, 457

chromosomal rearrangements – Genetic instability and its possible evolutionary implications on the chromosomal structure of *Streptomyces*, 555

CoA – The coenzyme A-synthesizing protein complex and its proposed role in CoA biosynthesis in bakers' yeast, 787

CoA/4′-phosphopantetheine cycle – The coenzyme A-synthesizing protein complex and its proposed role in CoA biosynthesis in bakers' yeast, 787

coconut oil – Changes in chemical composition and physico-chemical properties of chick low- and high-density lipoproteins induced by supplementation of coconut oil to the diet, 333

Congo red – Effect of self association of bis-ANS and bis-azo dyes on protein binding, 23

cross-linking – *In vitro* properties and organ uptake of rat band 3 cross-linked erythrocytes, 53

cyclic nucleotides – Bifunctional structure of two adenylyl cyclases from the myxobacterium *Stigmatella aurantiaca*, 757

cysteine proteases – Proregion structure of members of the papain superfamily. Mode of inhibition of enzymatic activity, 645

cysteinyl-tRNA synthetase – Cysteinyl-tRNA synthetase from *Saccharomyces cerevisiae*. Purification, characterization and assignment to the genomic sequence YNL247w, 731

cytochrome P_{450} – Peroxisome proliferators alter the expression of estrogen-metabolizing enzymes, 151

cytoskeleton – Integrins in morphogenesis and signaling, 467

D

decavanadate – Vanadates form insoluble complexes with histones, 457

deletion – Deletion screening and carrier detection in Duchenne muscular dystrophy in Polish population *via* direct analysis of DNA and RNA transcripts, 439

derivative of the 30S subunit – Preparation of a 'beheaded' derivative of the 30S ribosomal subunit, 523
desaturation – Fatty acid metabolism, pharmacological nutrients and hypertension, 135
dexamethasone – Retinoid X receptor (RXRα) gene expression is regulated by fatty acids and dexamethasone in hepatic cells, 107
***Dictyostelium* –** Trehalase of *Dictyostelium discoideum*: Inhibition by amino-containing analogs of trehalose and affinity purification, 229
differentiation – Receptor protein tyrosine phosphatases: Involvement in cell-cell interaction and signaling, 477
dioxygenase – Structure and mechanism of lipoxygenases, 629
disseminated intravascular coagulation – Pig IαI appears unmodified in plasma in case of endotoxin-induced disseminated intravascular coagulation, 749
DNA – Internal motions of nucleic acid structures and the determination of base-pair lifetimes, 775
DNA binding – A set of polyclonal and monoclonal antibodies reveals major differences in post-translational modification of the rat HNF1 and vHNF1 homeoproteins, 707
DNA damage – NAD^+ loading of mammalian cells by electrotransfection leads to increased poly(ADP-ribosyl)ation capacity, 175
DNA double-strand breaks – Radiation-induced DNA double-strand breaks and the radiosensitivity of human cells: A closer look, 567
DNA glycosylases – Repair of oxidized DNA bases in the yeast *Saccharomyces cerevisiae*, 559
DNA lesions – Structure of oligonucleotides with either a strand break or a bulged nucleotide, 593
DNA ligase – Site directed DNA joining, 13
DNA recombination – Site directed DNA joining, 13
DNA repair – Repair of oxidized DNA bases in the yeast *Saccharomyces cerevisiae*, 559 – Radiation-induced DNA double-strand breaks and the radiosensitivity of human cells: A closer look, 567 – Mammalian Rad51 protein: A RecA homologue with pleiotropic functions, 587
DNA replication – Site directed DNA joining, 13 – Role of nuclear architecture in the initiation of eukaryotic DNA replication, 541
DNA sequence – Organization of the *Thermus thermophilus nusA/infB* operon and overexpression of the *infB* gene in *Escherichia coli,* 195
DNA topoisomerase – Mitochondrial DNA topoisomerase I of *Saccharomyces cerevisiae,* 341
DNA-dependent protein kinase – p53-dependent apoptosis and transcription of $p21^{waf/cip1/sdi1}$ in SCID mice following γ-irradiation, 607
DNase I – Analysis of long range structural effects induced by DNase-I interaction with actin monomeric form or complexed to CapZ, 485
DNase II – On the use of Zn^{2+} to discriminate endonucleases activated during apoptosis, 435
docosahexaenoic acid – Fatty acid metabolism, pharmacological nutrients and hypertension, 135
Duchenne muscular dystrophy – Deletion screening and carrier detection in Duchenne muscular dystrophy in Polish population *via* direct analysis of DNA and RNA transcripts, 439
dye-protein binding – Effect of self association of bis-ANS and bis-azo dyes on protein binding, 23

E

3′-exonucleases – Polyadenylated mRNA in *Escherichia coli*: Modulation of poly(A) RNA levels by polynucleotide phosphorylase and ribonuclease II, 211
E coli – Immunochemical determination of the cellular content of polypeptide chain release factor RF3 in *Escherichia coli,* 725
echistatin – Echistatin inhibits $pp72^{syk}$ and $pp125^{FAK}$ phosphorylation in fibrinogen-adherent platelets, 769
editing – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
eicosapentaenoic – Fatty acid metabolism, pharmacological nutrients and hypertension, 135
elongation factor 2 – Heterologous expression in *Escherichia coli* of the gene encoding an archaeal thermoacidophilic elongation factor 2. Properties of the recombinant protein, 303
endonucleases – On the use of Zn^{2+} to discriminate endonucleases activated during apoptosis, 435
eRF1 – Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues, 27
erythrocytes – *In vitro* properties and organ uptake of rat band 3 cross-linked erythrocytes, 53
Escherichia coli – Artefactual cleavage of *E coli* H-NS by OmpT, 315 – Role of SOS and OxyR systems in the repair of *Escherichia coli* submitted to hydrogen peroxide under low iron conditions, 359
ester hydrolysis – Similarities of hydrolytic antibodies revealed by their X-ray structures: A review, 653
estrogen metabolism – Peroxisome proliferators alter the expression of estrogen-metabolizing enzymes, 151
ether-glycerolipid synthesis – Copurification of dihydroxyacetone-phosphate acyl-transferase and other peroxisomal proteins from liver of fenofibrate-treated rats, 423
eukaryotic genome – Role of nuclear architecture in the initiation of eukaryotic DNA replication, 541
extracellular matrix – Evidence for a specific interaction of vitronectin with arginine: Effects of reducing agents on the expression of functional domains and immunoepitopes, 205

F–G

fatty acid analysis – The effect of different molecular species of sphingomyelin on phospholipase C δ1 activity, 741
fatty acid induction – Retinoid X receptor (RXRα) gene expression is regulated by fatty acids and dexamethasone in hepatic cells, 107
fatty acids – Regulation of gene expression by fatty acids: Special reference to fatty acid binding protein (FABP), 129
fibrate – Preparation of a dansylated fibrate, a new fluorescent tool to study peroxisome proliferation. Effect on hepatic-derived cell lines, 145
fibrinogen – Metal-ion catalyzed oxidation affects fibrinogen activity on platelet aggregation and adhesion, 449
fluorescence – Preparation of a dansylated fibrate, a new fluorescent tool to study peroxisome proliferation. Effect on hepatic-derived cell lines, 145
fluorescence-anisotropy – Changes in chemical composition and physico-chemical properties of chick low- and high-density lipoproteins induced by supplementation of coconut oil to the diet, 333
focal adhesion – Integrins in morphogenesis and signaling, 467
free fatty acids – Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
fusogenic peptide – Structure-activity relationships in the fusion of small unilamellar phosphatidylcholine vesicles induced by a model peptide, 509
GAP-43 (B-50) – The BASP1 family is abundant in axonal termini myristoylated proteins. Primary structure analysis and physico-chemical properties, 373
gene expression – The effects of fibrates and thiazolidinediones on plasma triglyceride metabolism are mediated by distinct peroxisome proliferator activated receptors (PPARs), 95 – Retinoid X receptor (RXRα) gene expression is regulated by fatty acids and dexamethasone in hepatic cells, 107 – Glutamine and regulation of gene expression in mammalian cells. Special reference to phosphoenolpyruvate carboxykinase (PEPCK), 125 – Recent update on the PPARα-null mouse, 139 – Synthesis of region-labelled proteins for NMR studies by *in vitro* translation of column-coupled mRNAs, 415
gene regulation – Regulation of gene expression by fatty acids: Special reference to fatty acid binding protein (FABP), 129 – Peroxisome proliferators alter the expression of estrogen-metabolizing enzymes, 151
genetic instability – Genetic instability and its possible evolutionary implications on the chromosomal structure of *Streptomyces*, 555
genomic sequence YNL247w – Cysteinyl-tRNA synthetase from *Saccharomyces cerevisiae.* Purification, characterization and assignment to the genomic sequence YNL247w, 731
genotoxic stress – NAD^+ loading of mammalian cells by electrotransfection leads to increased poly(ADP-ribosyl)ation capacity, 175
***Giardia lamblia* –** Involvement and identification of a lysine in the PPi-site of pyrophosphate-dependent phosphofructokinase from *Giardia lamblia,* 221
glucose – Transcriptional regulation by glucose in the liver, 113 – Glucose-dependent transcriptional regulation of the human sucrase-isomaltase (SI) gene, 119 – Biphasic pattern of heparin-induced oxidative degradation of trypsin in the presence of glucose, 351
glucose-dependent transcriptional regulation kinase – Transcriptional regulation by glucose in the liver, 113
glutamine – Glutamine and regulation of gene expression in mammalian cells. Special reference to phosphoenolpyruvate carboxykinase (PEPCK), 125
glycine decarboxylase complex – Structural studies of the glycine decarboxylase complex from pea leaf mitochondria, 637
glycosaminoglycans – Proteoglycan synthesis induced by transforming and basic fibroblast growth factors in human malignant mesothelioma is mediated through specific receptors and the tyrosine kinase intracellular pathway, 323
green algae – *Chlamydomonas* U2, U4 and U6 snRNAs. An evolutionary conserved putative third interaction between U4 and U6 snRNAs which has a counterpart in the $U4_{atac}$-$U6_{atac}$ snRNA duplex, 387
growth factors – Proteoglycan synthesis induced by transforming and basic fibroblast growth factors in human malignant mesothelioma is mediated through specific receptors and the tyrosine kinase intracellular pathway, 323

H

17β-hydroxysteroid dehydrogenase type IV – Peroxisome proliferators alter the expression of estrogen-metabolizing enzymes, 151
α-helix – An investigation into the surface activity of C-terminal homologues of *Escherichia coli* low molecular mass penicillin-binding proteins 4, 5 and 6, 171
H-NS – Artefactual cleavage of *E coli* H-NS by OmpT, 315
H_2O_2 – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613

haemolysis – Surface activity properties of cysteine-substituted C-terminal melittin analogues, 503
heat shock – Purification of an atypical bovine interferon induced in response to heat shock in bovine cultured cells. Characterization in comparison with the classical α, β and γ interferon, 43
heparin – Biphasic pattern of heparin-induced oxidative degradation of trypsin in the presence of glucose, 351
high-density lipoprotein – Changes in chemical composition and physico-chemical properties of chick low- and high-density lipoproteins induced by supplementation of coconut oil to the diet, 333
histone – Artefactual cleavage of *E coli* H-NS by OmpT, 315 – Vanadates form insoluble complexes with histones, 457
HIV proteins – Structure, biological functions and inhibition of the HIV-1 proteins Vpr and NCp7, 673
HIV-1 RNA-NCp7 complex – Structure, biological functions and inhibition of the HIV-1 proteins Vpr and NCp7, 673
HMG protein – Decreased expression of the high-mobility group protein T160 by antisense RNA impairs the growth of mouse fibroblasts, 717
homologous recombination – Mammalian Rad51 protein: A RecA homologue with pleiotropic functions, 587
homology modelling – Structure of human annexin I: Comparison of homology modelling and crystallographic experiment, 691
human cells – Radiation-induced DNA double-strand breaks and the radiosensitivity of human cells: A closer look, 567
hydrogen metabolism – Hydrogenase: A hydrogen-metabolizing enzyme. What do the crystal structures tell us about its mode of action?, 661
hydrogen peroxide – Role of SOS and OxyR systems in the repair of *Escherichia coli* submitted to hydrogen peroxide under low iron conditions, 359
hydrogenases – Hydrogenase: A hydrogen-metabolizing enzyme. What do the crystal structures tell us about its mode of action?, 661
hypertension – Fatty acid metabolism, pharmacological nutrients and hypertension, 135

I

IF2 – Organization of the *Thermus thermophilus nusA/infB* operon and overexpression of the *infB* gene in *Escherichia coli,* 195
immune electron microscopy – Localization of two domains of a mutant form of *Escherichia coli* protein L7/L12 that binds the large ribosomal subunit as a single dimer, 365
immunoblotting – Mitochondrial DNA topoisomerase I of *Saccharomyces cerevisiae,* 341
immunofluorescence – NAD^+ loading of mammalian cells by electrotransfection leads to increased poly(ADP-ribosyl)ation capacity, 175
importin α – Phosphorylation of Srp1p, the yeast nuclear localization signal receptor, *in vitro* and *in vivo,* 247
***in vitro* translation** – Synthesis of region-labelled proteins for NMR studies by *in vitro* translation of column-coupled mRNAs, 415
inducible systems – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
induction – Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3
infB – Organization of the *Thermus thermophilus nusA/infB* operon and overexpression of the *infB* gene in *Escherichia coli,* 195
inflammatory response – Recent update on the PPARα-null mouse, 139
initiation – Organization of the *Thermus thermophilus nusA/infB* operon and overexpression of the *infB* gene in *Escherichia coli,* 195 – Poly(A) dependent translation in rabbit reticulocyte lysate, 781
insulin-mimetics – Vanadates form insoluble complexes with histones, 457
integrin – Integrins in morphogenesis and signaling, 467
inter-α-inhibitor – Pig IαI appears unmodified in plasma in case of endotoxin-induced disseminated intravascular coagulation, 749
interferon – Purification of an atypical bovine interferon induced in response to heat shock in bovine cultured cells. Characterization in comparison with the classical α, β and γ interferon, 43
intron – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
ionizing radiation – p53-dependent apoptosis and transcription of $p21^{waf/cip1/sdi1}$ in SCID mice following γ-irradiation, 607
iron-sulfur proteins – Hydrogenase: A hydrogen-metabolizing enzyme. What do the crystal structures tell us about its mode of action?, 661
isocitrate lyase – Effect of pH on the role of Mg^{2+} and Mn^{2+} on *Phycomyces* isocitrate lyase kinetics, 179

K–L

kidney – A set of polyclonal and monoclonal antibodies reveals major differences in post-translational modification of the rat HNF1 and vHNF1 homeoproteins, 707
kin17 protein – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
kinetic parameters – The hog intestinal mucosa acylase I: Subcellular localization, isolation, kinetic studies and biological function, 265
L-pyruvate kinase – Transcriptional regulation by glucose in the liver, 113
leukocyte elastase – Pig IαI appears unmodified in plasma in case of endotoxin-induced disseminated intravascular coagulation, 749
leukotrienes – Structure and mechanism of lipoxygenases, 629
lipid and carbohydrate metabolisms – Regulation of gene expression by fatty acids: Special reference to fatty acid binding protein (FABP), 129
lipid metabolism – Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism, 81
lipoamide-containing H-protein – Structural studies of the glycine decarboxylase complex from pea leaf mitochondria, 637
lipoprotein lipase – The effects of fibrates and thiazolidinediones on plasma triglyceride metabolism are mediated by distinct peroxisome proliferator activated receptors (PPARs), 95 – Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
lipoxins – Structure and mechanism of lipoxygenases, 629
liver – Transcriptional regulation by glucose in the liver, 113 – Glutamine and regulation of gene expression in mammalian cells. Special reference to phosphoenolpyruvate carboxykinase (PEPCK), 125 – A set of polyclonal and monoclonal antibodies reveals major differences in post-translational modification of the rat HNF1 and vHNF1 homeoproteins, 707
low-density lipoprotein – Changes in chemical composition and physico-chemical properties of chick low- and high-density lipoproteins induced by supplementation of coconut oil to the diet, 333
lysis – An investigation into the surface activity of C-terminal homologues of *Escherichia coli* low molecular mass penicillin-binding proteins 4, 5 and 6, 171

M

maize axis – S6 ribosomal protein phosphorylation and translation of stored mRNA in maize, 187
mammalian cells – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
MDL 25 637 – Trehalase of *Dictyostelium discoideum*: Inhibition by amino-containing analogs of trehalose and affinity purification, 229
melittin – Surface activity properties of cysteine-substituted C-terminal melittin analogues, 503
membrane – An investigation into the surface activity of C-terminal homologues of *Escherichia coli* low molecular mass penicillin-binding proteins 4, 5 and 6, 171
membrane BDH – Alkylation at the active site of the D-3-hydroxybutyrate dehydrogenase (BDH), a membrane phospholipid-dependent enzyme, by 3-chloroacetyl pyridine dinucleotide (3-CAPAD), 37
membrane fusion – Structure-activity relationships in the fusion of small unilamellar phosphatidylcholine vesicles induced by a model peptide, 509
mesothelioma – Proteoglycan synthesis induced by transforming and basic fibroblast growth factors in human malignant mesothelioma is mediated through specific receptors and the tyrosine kinase intracellular pathway, 323
metabolism – Glucose-dependent transcriptional regulation of the human sucrase-isomaltase (SI) gene, 119
metal-ion catalyzed oxidation – Metal-ion catalyzed oxidation affects fibrinogen activity on platelet aggregation and adhesion, 449
metalloprotein – The hog intestinal mucosa acylase I: Subcellular localization, isolation, kinetic studies and biological function, 265
methylase – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
Mg^{2+} – Effect of pH on the role of Mg^{2+} and Mn^{2+} on *Phycomyces* isocitrate lyase kinetics, 179
microsatellite – Deletion screening and carrier detection in Duchenne muscular dystrophy in Polish population *via* direct analysis of DNA and RNA transcripts, 439 – Differences and similarities between various tandem repeat sequences: Minisatellites and microsatellites, 577
minigenes – Regulation of protein synthesis by minigene expression, 527
minisatellite – Differences and similarities between various tandem repeat sequences: Minisatellites and microsatellites, 577
mitochondria – Mitochondrial DNA topoisomerase I of *Saccharomyces cerevisiae,* 341
Mn^{2+} – Effect of pH on the role of Mg^{2+} and Mn^{2+} on *Phycomyces* isocitrate lyase kinetics, 179
model membrane fusion – Structure-activity relationships in the fusion of small unilamellar phosphatidylcholine vesicles induced by a model peptide, 509
molecular dynamics – Structure of human annexin I: Comparison of homology modelling and crystallographic experiment, 691
molecular forms – Acetylcholinesterase in *Spirographis spallanzanii (*Polychaeta: Sedentaria): Presence of two dimeric membrane-bound forms, 397
molecular modelling – Structure of oligonucleotides with either a strand break or a bulged nucleotide, 593
morphogenesis – Integrins in morphogenesis and signaling, 467
mRNA polyadenylation – Identification of ribosomal protein S1 as a poly(A) binding protein in *Escherichia coli,* 493
multienzyme complex – The coenzyme A-synthesizing protein complex and its proposed role in CoA biosynthesis in bakers' yeast, 787

multiple adenylyl cyclases – Bifunctional structure of two adenylyl cyclases from the myxobacterium *Stigmatella aurantiaca*, 757
mutagenesis – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613
myopathy – Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
myristoylation – The BASP1 family is abundant in axonal termini myristoylated proteins. Primary structure analysis and physico-chemical properties, 373

N

NAD analogue – Alkylation at the active site of the D-3-hydroxybutyrate dehydrogenase (BDH), a membrane phospholipid-dependent enzyme, by 3-chloroacetyl pyridine dinucleotide (3-CAPAD), 37
NAD^+ – GTP-dependent modification of a 21-kDa substrate with NAD^+ in bovine brain soluble fraction is not ADP-ribosylation of small G-protein but tailing of tRNA, 407
NCp7 – Structure, biological functions and inhibition of the HIV-1 proteins Vpr and NCp7, 673
nickel enzyme – Hydrogenase: A hydrogen-metabolizing enzyme. What do the crystal structures tell us about its mode of action?, 661
NLS receptor – Phosphorylation of Srp1p, the yeast nuclear localization signal receptor, *in vitro* and *in vivo*, 247
NMR – Structure of oligonucleotides with either a strand break or a bulged nucleotide, 593
NMR protein structure – Synthesis of region-labelled proteins for NMR studies by *in vitro* translation of column-coupled mRNAs, 415
non-genotoxic carcinogens – Recent update on the PPARα-null mouse, 139
non-heme iron – Structure and mechanism of lipoxygenases, 629
nuclear architecture – Role of nuclear architecture in the initiation of eukaryotic DNA replication, 541
nuclear foci – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
nuclear receptors – The effects of fibrates and thiazolidinediones on plasma triglyceride metabolism are mediated by distinct peroxisome proliferator activated receptors (PPARs), 95
nucleoside triphosphate – GTP-dependent modification of a 21-kDa substrate with NAD^+ in bovine brain soluble fraction is not ADP-ribosylation of small G-protein but tailing of tRNA, 407
numerical simulation – Computational enzymology, 687

O–P

2′,5′ oligoadenylate synthetase – Purification of an atypical bovine interferon induced in response to heat shock in bovine cultured cells. Characterization in comparison with the classical α, β and γ interferon, 43
β-oxidation – Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
OmpT – Artefactual cleavage of *E coli* H-NS by OmpT, 315
osmo-expression – Purification of active *Escherichia coli* ribosome recycling factor (RRF) from an osmo-regulated expression system, 243
oxidation – Biphasic pattern of heparin-induced oxidative degradation of trypsin in the presence of glucose, 351
oxidative damage – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613
oxidative DNA damage – Repair of oxidized DNA bases in the yeast *Saccharomyces cerevisiae*, 559
oxidized ATP – Involvement and identification of a lysine in the PPi-site of pyrophosphate-dependent phosphofructokinase from *Giardia lamblia,* 221
oxyanion hole – Similarities of hydrolytic antibodies revealed by their X-ray structures: A review, 653
4′-phosphopantetheine – The coenzyme A-synthesizing protein complex and its proposed role in CoA biosynthesis in bakers' yeast, 787
p53 – p53-dependent apoptosis and transcription of $p21^{waf/cip1/sdi1}$ in SCID mice following γ-irradiation, 607
papin superfamily – Proregion structure of members of the papain superfamily. Mode of inhibition of enzymatic activity, 645
pcnB – Polyadenylated mRNA in *Escherichia coli*: Modulation of poly(A) RNA levels by polynucleotide phosphorylase and ribonuclease II, 211
penicillin-binding protein – An investigation into the surface activity of C-terminal homologues of *Escherichia coli* low molecular mass penicillin-binding proteins 4, 5 and 6, 171
peptide – Surface activity properties of cysteine-substituted C-terminal melittin analogues, 503
peptidyl-tRNA hydrolase – Regulation of protein synthesis by minigene expression, 527
peptidyltransferases – Molecular characterization of the prokaryotic *epf* gene product involved in a pepidyltransferase reaction, 7
peroxisome – Copurification of dihydroxyacetonephosphate acyl-transferase and other peroxisomal proteins from liver of fenofibrate-treated rats, 423
peroxisome proliferation – Recent update on the PPARα-null mouse, 139 – Preparation of a dansylated fibrate, a new fluorescent tool to study peroxisome proliferation. Effect on hepatic-derived cell lines, 145
peroxisome proliferator – Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism, 81 – Peroxisome proliferator-activated receptor (PPAR)-dependent and -independent transcriptional modulation of several non-peroxisomal genes by peroxisome proliferators, 101 – Peroxisome proliferators alter the expression of estrogen-metabolizing enzymes, 151
peroxisome proliferator-activated receptor (PPAR) – Peroxisome proliferator-activated receptor (PPAR)-dependent and -independent transcriptional modulation of several non-peroxisomal genes by peroxisome proliferators, 101
peroxisomes – Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
PEST sequences – The BASP1 family is abundant in axonal termini myristoylated proteins. Primary structure analysis and physico-chemical properties, 373
pH-effect – Effect of pH on the role of Mg^{2+} and Mn^{2+} on *Phycomyces* isocitrate lyase kinetics, 179
phenol amides – Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3
phosphatidylinositol – Acetylcholinesterase in *Spirographis spallanzanii (*Polychaeta: Sedentaria): Presence of two dimeric membrane-bound forms, 397
phosphoenolpyruvate carboxykinase – Glutamine and regulation of gene expression in mammalian cells. Special reference to phosphoenolpyruvate carboxykinase (PEPCK), 125
phosphofructokinase – Involvement and identification of a lysine in the PPi-site of pyrophosphate-dependent phosphofructokinase from *Giardia lamblia,* 221
phosphokinase – Proteoglycan synthesis induced by transforming and basic fibroblast growth factors in human malignant mesothelioma is mediated through specific receptors and the tyrosine kinase intracellular pathway, 323
phospholipase C δ1 – The effect of different molecular species of sphingomyelin on phospholipase C δ1 activity, 741
phospholipids – Alkylation at the active site of the D-3-hydroxybutyrate dehydrogenase (BDH), a membrane phospholipid-dependent enzyme, by 3-chloroacetyl pyridine dinucleotide (3-CAPAD), 37
phosphonate hapten – Similarities of hydrolytic antibodies revealed by their X-ray structures: A review, 653
phosphorylation – Echistatin inhibits $pp72^{syk}$ and $pp125^{FAK}$ phosphorylation in fibrinogen-adherent platelets, 769
Phycomyces – Effect of pH on the role of Mg^{2+} and Mn^{2+} on *Phycomyces* isocitrate lyase kinetics, 179
phylogenesis – *Chlamydomonas* U2, U4 and U6 snRNAs. An evolutionary conserved putative third interaction between U4 and U6 snRNAs which has a counterpart in the $U4_{atac}$-$U6_{atac}$ snRNA duplex, 387
platelet – Metal-ion catalyzed oxidation affects fibrinogen activity on platelet aggregation and adhesion, 449
platelet adhesion – Echistatin inhibits $pp72^{syk}$ and $pp125^{FAK}$ phosphorylation in fibrinogen-adherent platelets, 769
poly(A) – Poly(A) dependent translation in rabbit reticulocyte lysate, 781
poly(A) polymerase – Polyadenylated mRNA in *Escherichia coli*: Modulation of poly(A) RNA levels by polynucleotide phosphorylase and ribonuclease II, 211
poly(A) RNA – Identification of ribosomal protein S1 as a poly(A) binding protein in *Escherichia coli,* 493
poly(ADP-ribose) polymerase – NAD^+ loading of mammalian cells by electrotransfection leads to increased poly(ADP-ribosyl)ation capacity, 175
poly(C) – Identification of ribosomal protein S1 as a poly(A) binding protein in *Escherichia coli,* 493
polymorphism – Deletion screening and carrier detection in Duchenne muscular dystrophy in Polish population *via* direct analysis of DNA and RNA transcripts, 439
polysomes – Identification of ribosomal protein S1 as a poly(A) binding protein in *Escherichia coli,* 493
polyunsaturated fatty acids – Fatty acid metabolism, pharmacological nutrients and hypertension, 135
porcine intestine – The hog intestinal mucosa acylase I: Subcellular localization, isolation, kinetic studies and biological function, 265
$pp125^{FAK}$ – Echistatin inhibits $pp72^{syk}$ and $pp125^{FAK}$ phosphorylation in fibrinogen-adherent platelets, 769
$pp72^{syk}$ – Echistatin inhibits $pp72^{syk}$ and $pp125^{FAK}$ phosphorylation in fibrinogen-adherent platelets, 769
PPARs – Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism, 81 – PPARγ and the control of adipogenesis, 111
PPARα – Recent update on the PPARα-null mouse, 139
pre-mRNA splicing – *Chlamydomonas* U2, U4 and U6 snRNAs. An evolutionary conserved putative third interaction between U4 and U6 snRNAs which has a counterpart in the $U4_{atac}$-$U6_{atac}$ snRNA duplex, 387
preadipose cells – PPARγ and the control of adipogenesis, 111

protease – Artefactual cleavage of *E coli* H-NS by OmpT, 315
protein conformation – Evidence for a specific interaction of vitronectin with arginine: Effects of reducing agents on the expression of functional domains and immunoepitopes, 205
protein crystal structure – Structural studies of the glycine decarboxylase complex from pea leaf mitochondria, 637
protein domain design – Protein structure prediction. Implications for the biologist, 681
protein labelling – Synthesis of region-labelled proteins for NMR studies by *in vitro* translation of column-coupled mRNAs, 415
protein mapping – Localization of two domains of a mutant form of *Escherichia coli* protein L7/L12 that binds the large ribosomal subunit as a single dimer, 365
protein polymerization – Evidence for a specific interaction of vitronectin with arginine: Effects of reducing agents on the expression of functional domains and immunoepitopes, 205
protein purification – Purification of an atypical bovine interferon induced in response to heat shock in bovine cultured cells. Characterization in comparison with the classical α, β and γ interferon, 43 – Purification of active *Escherichia coli* ribosome recycling factor (RRF) from an osmo-regulated expression system, 243 – Copurification of dihydroxyacetone-phosphate acyl-transferase and other peroxisomal proteins from liver of fenofibrate-treated rats, 423
protein structure prediction – Protein structure prediction. Implications for the biologist, 681
protein synthesis – Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues, 27
protein synthesis inhibition – Regulation of protein synthesis by minigene expression, 527
protein translocation – Protein translocation functions of *Escherichia coli* SecY: *In vitro* characterization of cold-sensitive *secY* mutants, 517
protein tyrosine phosphatase – Receptor protein tyrosine phosphatases: Involvement in cell-cell interaction and signaling, 477
proteinases – Pig IαI appears unmodified in plasma in case of endotoxin-induced disseminated intravascular coagulation, 749
proteoglycans – Proteoglycan synthesis induced by transforming and basic fibroblast growth factors in human malignant mesothelioma is mediated through specific receptors and the tyrosine kinase intracellular pathway, 323
proton exchange – Internal motions of nucleic acid structures and the determination of base-pair lifetimes, 775
pseudouridine synthase – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
pyrophosphate – Involvement and identification of a lysine in the PPi-site of pyrophosphate-dependent phosphofructokinase from *Giardia lamblia,* 221

Q–R

QM/MM method – Computational enzymology, 687
Rad51 – Mammalian Rad51 protein: A RecA homologue with pleiotropic functions, 587
radiation-associated thyroid tumors – Oncogenic rearrangements of the *ret* proto-oncogene in thyroid tumors induced after exposure to ionizing radiation, 619
radiosensitivity – Radiation-induced DNA double-strand breaks and the radiosensitivity of human cells: A closer look, 567 – p53-dependent apoptosis and transcription of $p21^{waf/cip1/sdi1}$ in SCID mice following γ-irradiation, 607
rat – *In vitro* properties and organ uptake of rat band 3 cross-linked erythrocytes, 53
reaction mechanism – Computational enzymology, 687
RecA protein – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
recombinant EF-2 – Heterologous expression in *Escherichia coli* of the gene encoding an archaeal thermoacidophilic elongation factor 2. Properties of the recombinant protein, 303
recombination – Characterization of an amino-terminal fragment of the bacteriophage T4 uvsY recombination protein, 275 – Differences and similarities between various tandem repeat sequences: Minisatellites and microsatellites, 577
release factor – Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues, 27 – Cloning and overexpression of polypeptide release factor 1 of *Thermus thermophilus*, 287
replication slippage – Differences and similarities between various tandem repeat sequences: Minisatellites and microsatellites, 577
***ret* proto-oncogene** – Oncogenic rearrangements of the *ret* proto-oncogene in thyroid tumors induced after exposure to ionizing radiation, 619
RET/PTC oncogene – Oncogenic rearrangements of the *ret* proto-oncogene in thyroid tumors induced after exposure to ionizing radiation, 619
reticulocyte luciferase – Poly(A) dependent translation in rabbit reticulocyte lysate, 781
retinoid X receptor – Retinoid X receptor (RXRα) gene expression is regulated by fatty acids and dexamethasone in hepatic cells, 107
RF1 –Cloning and overexpression of polypeptide release factor 1 of *Thermus thermophilus*, 287
RF3 – Immunochemical determination of the cellular content of polypeptide chain release factor RF3 in *Escherichia coli,* 725
Rho – Integrins in morphogenesis and signaling, 467
ribosomal protein – Localization of two domains of a mutant form of *Escherichia coli* protein L7/L12 that binds the large ribosomal subunit as a single dimer, 365
ribosome – Localization of two domains of a mutant form of *Escherichia coli* protein L7/L12 that binds the large ribosomal subunit as a single dimer, 365
ribosome recycling factor – Purification of active *Escherichia coli* ribosome recycling factor (RRF) from an osmo-regulated expression system, 243
ribosomes – Molecular characterization of the prokaryotic *epf* gene product involved in a pepidyltransferase reaction, 7
RNA degradation – Polyadenylated mRNA in *Escherichia coli*: Modulation of poly(A) RNA levels by polynucleotide phosphorylase and ribonuclease II, 211
RNA synthesis – Polyadenylated mRNA in *Escherichia coli*: Modulation of poly(A) RNA levels by polynucleotide phosphorylase and ribonuclease II, 211
RNase H cleavage – Preparation of a 'beheaded' derivative of the 30S ribosomal subunit, 523
rRNA – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
RTP – Cell cycle checkpoints in bacteria, 549

S

16S RNA domains – Preparation of a 'beheaded' derivative of the 30S ribosomal subunit, 523
30S ribosomal subunits – Identification of ribosomal protein S1 as a poly(A) binding protein in *Escherichia coli,* 493
S6 ribosomal protein phosphorylation – S6 ribosomal protein phosphorylation and translation of stored mRNA in maize, 187
Saccharomyces cerevisiae – Repair of oxidized DNA bases in the yeast *Saccharomyces cerevisiae*, 559 – Cysteinyl-tRNA synthetase from *Saccharomyces cerevisiae.* Purification, characterization and assignment to the genomic sequence YNL247w, 731
SecA – Protein translocation functions of *Escherichia coli* SecY: *In vitro* characterization of cold-sensitive *secY* mutants, 517
SecY – Protein translocation functions of *Escherichia coli* SecY: *In vitro* characterization of cold-sensitive *secY* mutants, 517
seed germination – S6 ribosomal protein phosphorylation and translation of stored mRNA in maize, 187
self association – Effect of self association of bis-ANS and bis-azo dyes on protein binding, 23
sensitivity to radiation and chemicals – Characterization of the sensitivity to various genotoxic agents of the UVU1 CHO cell line, a double mutant from UV complementation group 1, 261
septic shock – Pig IαI appears unmodified in plasma in case of endotoxin-induced disseminated intravascular coagulation, 749
sequence analysis – Protein structure prediction. Implications for the biologist, 681
signal compounds – Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3
signal transduction – Integrins in morphogenesis and signaling, 467
small angle X-ray scattering – Structural studies of the glycine decarboxylase complex from pea leaf mitochondria, 637
snoRNA – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
snRNA – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
SOPMA – Protein structure prediction. Implications for the biologist, 681
SOS response – Role of SOS and OxyR systems in the repair of *Escherichia coli* submitted to hydrogen peroxide under low iron conditions, 359
SOS system – Cell cycle checkpoints in bacteria, 549
sphingomyelin molecular species – The effect of different molecular species of sphingomyelin on phospholipase C δ1 activity, 741
split actin – Analysis of long range structural effects induced by DNase-I interaction with actin monomeric form or complexed to CapZ, 485
Srp1p – Phosphorylation of Srp1p, the yeast nuclear localization signal receptor, *in vitro* and *in vivo,* 247
stored mRNA – S6 ribosomal protein phosphorylation and translation of stored mRNA in maize, 187
Streptomyces – Genetic instability and its possible evolutionary implications on the chromosomal structure of *Streptomyces*, 555
stringent response – Cell cycle checkpoints in bacteria, 549
sucrase-isomaltase – Glucose-dependent transcriptional regulation of the human sucrase-isomaltase (SI) gene, 119
***Sulfolobus solfataricus* –** Heterologous expression in *Escherichia coli* of the gene encoding an archaeal thermoacidophilic elongation factor 2. Properties of the recombinant protein, 303
surface activity – Surface activity properties of cysteine-substituted C-terminal melittin analogues, 503
syringamides – Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3

T

T160 – Decreased expression of the high-mobility group protein T160 by antisense RNA impairs the growth of mouse fibroblasts, 717

tandem repeat instability – Differences and similarities between various tandem repeat sequences: Minisatellites and microsatellites, 577
termination – Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues, 27 – Immunochemical determination of the cellular content of polypeptide chain release factor RF3 in *Escherichia coli,* 725
thermostability – Heterologous expression in *Escherichia coli* of the gene encoding an archaeal thermoacidophilic elongation factor 2. Properties of the recombinant protein, 303
Thermus thermophilus – Organization of the *Thermus thermophilus nus*A/*inf*B operon and overexpression of the *inf*B gene in *Escherichia coli,* 195 – Cloning and overexpression of polypeptide release factor 1 of *Thermus thermophilus*, 287
time-resolved crystallography – Structural analysis of compound I in hemoproteins: Study on *Proteus mirabilis*, 667
transcription – Transcriptional regulation by glucose in the liver, 113 – Glucose-dependent transcriptional regulation of the human sucrase-isomaltase (SI) gene, 119
transcription factors – A set of polyclonal and monoclonal antibodies reveals major differences in post-translational modification of the rat HNF1 and vHNF1 homeoproteins, 707
transcriptional modulation – Peroxisome proliferator-activated receptor (PPAR)-dependent and -independent transcriptional modulation of several non-peroxisomal genes by peroxisome proliferators, 101
transgenic mouse model – Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
translation – Molecular characterization of the prokaryotic *epf* gene product involved in a pepidyltransferase reaction, 7 – Organization of the *Thermus thermophilus nus*A/*inf*B operon and overexpression of the *inf*B gene in *Escherichia coli,* 195 – Immunochemical determination of the cellular content of polypeptide chain release factor RF3 in *Escherichia coli,* 725 – Poly(A) dependent translation in rabbit reticulocyte lysate, 781
translation termination – Purification of active *Escherichia coli* ribosome recycling factor (RRF) from an osmo-regulated expression system, 243 – Cloning and overexpression of polypeptide release factor 1 of *Thermus thermophilus*, 287
translational control – S6 ribosomal protein phosphorylation and translation of stored mRNA in maize, 187
translocational domain – Localization of two domains of a mutant form of *Escherichia coli* protein L7/L12 that binds the large ribosomal subunit as a single dimer, 365
trehalase – Trehalase of *Dictyostelium discoideum*: Inhibition by amino-containing analogs of trehalose and affinity purification, 229
triglyceride metabolism – The effects of fibrates and thiazolidinediones on plasma triglyceride metabolism are mediated by distinct peroxisome proliferator activated receptors (PPARs), 95
tRNA – Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
tRNA starvation – Regulation of protein synthesis by minigene expression, 527
tRNA^{CCA} sequence – GTP-dependent modification of a 21-kDa substrate with NAD^+ in bovine brain soluble fraction is not ADP-ribosylation of small G-protein but tailing of tRNA, 407
truncated proteins – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
trypsin (bovine) – Biphasic pattern of heparin-induced oxidative degradation of trypsin in the presence of glucose, 351
two component regulatory systems – Bifunctional structure of two adenylyl cyclases from the myxobacterium *Stigmatella aurantiaca*, 757
type 1 plasminogen activator inhibitor – Evidence for a specific interaction of vitronectin with arginine: Effects of reducing agents on the expression of functional domains and immunoepitopes, 205
tyrosine phosphorylation – Integrins in morphogenesis and signaling, 467

U–V

U2, U4 and U6 RNAs – *Chlamydomonas* U2, U4 and U6 snRNAs. An evolutionary conserved putative third interaction between U4 and U6 snRNAs which has a counterpart in the $U4_{atac}$-$U6_{atac}$ snRNA duplex, 387
uvsX – Characterization of an amino-terminal fragment of the bacteriophage T4 uvsY recombination protein, 275
uvsY – Characterization of an amino-terminal fragment of the bacteriophage T4 uvsY recombination protein, 275
UVU1 – Characterization of the sensitivity to various genotoxic agents of the UVU1 CHO cell line, a double mutant from UV complementation group 1, 261
V(D)J – Site directed DNA joining, 13
validamycin A – Trehalase of *Dictyostelium discoideum*: Inhibition by amino-containing analogs of trehalose and affinity purification, 229
vanadate – Vanadates form insoluble complexes with histones, 457
***vir* genes** – Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3
vitronectin – Evidence for a specific interaction of vitronectin with arginine: Effects of reducing agents on the expression of functional domains and immunoepitopes, 205
Vpr – Structure, biological functions and inhibition of the HIV-1 proteins Vpr and NCp7, 673

X–Z

X-ray structure – Structural analysis of compound I in hemoproteins: Study on *Proteus mirabilis*, 667
yeast – Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues, 27 – Mitochondrial DNA topoisomerase I of *Saccharomyces cerevisiae,* 341
zinc – On the use of Zn^{2+} to discriminate endonucleases activated during apoptosis, 435
Zn finger – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599

Author index 1997

A

Adams SL – See Aoki H *et al*, 7
Agalarov SCh – See Ulitin AB *et al*, 523
Aguilar R – See Sánchez-de-Jiménez E *et al*, 187
Albet S – See Causeret C *et al*, 423
Alvarez-Pez JM – See Talavera EM *et al*, 333
Amatruda MR – See De Vendittis E *et al*, 303
Amzel LM – See Prigge ST *et al*, 629
Andersen C – See Goldberg MD *et al*, 315
Andreoletti P – See Jouve HM *et al*, 667
Angulo JF – See Kannouche P *et al*, 599
Antal M– See Jakab G *et al*, 387
Aoki H, Adams SL, Turner MA, Ganoza MC, Molecular characterization of the prokaryotic *epf* gene product involved in a pepidyltransferase reaction, 7
Arlett CF – See Foray *et al*, 567
Arntsen BM – See Steineger HH *et al*, 107
Asad LMBO, Asad NR, Silva AB, de Almeida CEB, Leitão AC – Role of SOS and OxyR systems in the repair of *Escherichia coli* submitted to hydrogen peroxide under low iron conditions, 359
Asad NR – See Asad LMBO *et al*, 359
Astier C – See Usmanova A *et al*, 485
Autret S, Levine A, Holland IB, Séror SJ – Cell cycle checkpoints in bacteria, 549
Auwerx J – See Staels B *et al*, 95
Azuma Y, Takio K, Tabb MM, Vu L, Nomura M, Phosphorylation of Srp1p, the yeast nuclear localization signal receptor, *in vitro* and *in vivo,* 247

B

Baccino FM – See Hertel L *et al*, 717
Badruzzaman M, Miyaoka T, Terashima M, Yamada K, Ohno T, Yamamori C, Tsuchiya M, Shimoyama M – GTP-dependent modification of a 21-kDa substrate with NAD^+ in bovine brain soluble fraction is not ADP-ribosylation of small G-protein but tailing of tRNA, 407
Balduyck M – See Carrette O *et al*, 749
Barbiero G – See Hertel L *et al*, 717
Bash PA – See Cunningham MA and Bash PA, 687
Belisario MA – See Staiano N *et al*, 769
Belisario MA, Di Domenico C, Pelagalli A, Della Morte R, Staiano N – Metal-ion catalyzed oxidation affects fibrinogen activity on platelet aggregation and adhesion, 449
Bentejac M – See Causeret C *et al*, 423
Benyamin Y – See Usmanova A *et al*, 485
Berlot JP, Grub S, Duclos S, Causeret C, Tainturier G, Latruffe N, Preparation of a dansylated fibrate, a new fluorescent tool to study peroxisome proliferation. Effect on hepatic-derived cell lines, 145
Bertelot K – See Dyé F *et al*, 3
Besnard Ph – See Niot *et al*, 129
Biagini A – See Giardina T *et al*, 265
Biard DSF – See Kannouche P *et al*, 599
Blanchet C – See Deléage G *et al*, 681
Bocchini V – See De Vendittis E *et al*, 303
Bocos C – See Corton JC *et al*, 151
Boiteux S – See Girard PM and Boiteux S, 559
Bonelli G – See Hertel L *et al*, 717
Boulard Y – See Roll C *et al*, 593
Bounacer A, Wicker R, Schlumberger M, Sarasin A, Suárez HG – Oncogenic rearrangements of the *ret* proto-oncogene in thyroid tumors induced after exposure to ionizing radiation, 619
Bourguignon J – See Cohen-Addad C *et al*, 637
Boyer M – See Usmanova A *et al*, 485
Boyington JC – See Prigge ST *et al*, 629
Branlant C– See Jakab G *et al*, 387
Brun R – See Spiegelman *et al*, 111
Buckingham RH – See MacDougall J *et al*, 243 – See Hernández J *et al*, 527
Bucovaz ET, Macleod RM, Morrison JC, Whybrew WD – The coenzyme A-synthesizing protein complex and its proposed role in CoA biosynthesis in bakers' yeast, 787
Bugaut M – See Causeret C *et al*, 423
Bürkle A – See Küpper JH *et al*, 175
Busto F – See Rúa J *et al*, 179

C

Candéias SM, Durum SK, Muegge K – p53-dependent apoptosis and transcription of $p21^{waf/cip1/sdi1}$ in SCID mice following γ-irradiation, 607
Canvin JR – See Goldberg MD *et al*, 315
Cao GJ, Kalapos MP, Sarkar N, Polyadenylated mRNA in *Escherichia coli*: Modulation of poly(A) RNA levels by polynucleotide phosphorylase and ribonuclease II, 211
Capony JP – See Mosevitsky MI *et al*, 373
Carpentier G – See Gachet G *et al*, 43
Carrette O, Mizon C, Balduyck M, Jourdain M, Fourrier F, Mizon J – Pig IαI appears unmodified in plasma in case of endotoxin-induced disseminated intravascular coagulation, 749
Carrière V – See Rodolosse *et al*, 119
Cattley RC – See Corton JC *et al*, 151
Causeret C – See Berlot *et al*, 145
Causeret C, Bentejac M, Albet S, Teubner B, Bugaut M – Copurification of dihydroxyacetone-phosphate acyl-transferase and other peroxisomal proteins from liver of fenofibrate-treated rats, 423
Chaimovich H – See da Costa MHB and Chaimovich H, 509
Chantret I – See Rodolosse *et al*, 119
Charbonnier JB, Gigant B, Golinelli-Pimpaneau B, Knossow M – Similarities of hydrolytic antibodies revealed by their X-ray structures: A review, 653
Chaudun E – See Torriglia A *et al*, 435
Cherbonnel-Lasserre C, Dosanjh MK – Suppression of apoptosis by overexpression of Bcl-2 or Bcl-x_L promotes survival and mutagenesis after oxidative damage, 613
Chlebowska H – See Kwiatkowska J *et al*, 439
Chou KM – See Yassa DS *et al*, 275
Chouard T, Jeannequin O, Rey-Campos J, Yaniv M, Traincard F – A set of polyclonal and monoclonal antibodies reveals major differences in post-translational modification of the rat HNF1 and vHNF1 homeoproteins, 707
Chousterman S – See Gachet G *et al*, 43
Ciesielski T – See Kwiatkowska J *et al*, 439
Cohen-Addad C, Faure M, Neuburger M, Ober R, Sieker L, Bourguignon J, Macherel D, Douce R – Structural studies of the glycine decarboxylase complex from pea leaf mitochondria, 637
Corton JC, Bocos C, Moreno ES, Merritt A, Cattley RC, Gustafsson JÅ, Peroxisome proliferators alter the expression of estrogen-metabolizing enzymes, 151
Cotter DA – See Temesvari LA and Cotter DA, 229
Coudart-Cavalli MP, Sismeiro O, Danchin A – Bifunctional structure of two adenylyl cyclases from the myxobacterium *Stigmatella aurantiaca*, 757
Counis MF – See Torriglia A *et al*, 435
Courtois Y – See Torriglia A *et al*, 435
Cunningham MA, Bash PA – Computational enzymology, 687
Cygler M, Mort JS – Proregion structure of members of the papain superfamily. Mode of inhibition of enzymatic activity, 645

D

da Costa MHB, Chaimovich H – Structure-activity relationships in the fusion of small unilamellar phosphatidylcholine vesicles induced by a model peptide, 509
Dalle Ore F – See Giardina T *et al*, 265
Danchin A – See Coudart-Cavalli MP *et al*, 757
Dardel V – See Narce M *et al*, 135
de Almeida CEB – See Asad LMBO *et al*, 359
de Arriaga D – See Rúa J *et al*, 179
De Vendittis E, Amatruda MR, Raimo G, Bocchini V, Heterologous expression in *Escherichia coli* of the gene encoding an archaeal thermoacidophilic elongation factor 2. Properties of the recombinant protein, 303
Debrauwere H, Gendrel CG, Lechat S, Dutreix M – Differences and similarities between various tandem repeat sequences: Minisatellites and microsatellites, 577
Decaris B – See Fischer G *et al*, 555
Defais M – See Lesca C *et al*, 261
Defais M – See Vispé S and Defais M, 587
Delachambre MC – See Narce M *et al*, 135
Delay D – See Dyé F *et al*, 3
Deléage G, Blanchet C, Geourjon C – Protein structure prediction. Implications for the biologist, 681
Della Morte R – See Belisario MA *et al*, 449 – See Staiano N *et al*, 769
Delmotte FM – See Dyé F *et al*, 3
Demene N – See Roques BP *et al*, 673
Di Domenico C – See Belisario MA *et al*, 449 – See Staiano N *et al*, 769
Di Natale P – See Staiano N *et al*, 769
Díez JC – See Jordán JA *et al*, 53
Dinkova T – See Sánchez-de-Jiménez E *et al*, 187
Doctor KS – See Prigge ST *et al*, 629
Dosanjh MK – See Cherbonnel-Lasserre C and Dosanjh MK, 613
Douce R – See Cohen-Addad C *et al*, 637
Duclos S – See Berlot *et al*, 145
Durum SK – See Candéias SM *et al*, 607
Dutreix M – See Debrauwere H *et al*, 577
Dyé F, Bertelot K, Griffon B, Delay D, Delmotte FM, Alkylsyringamides, new inducers of *Agrobacterium tumefaciens* virulence genes, 3

E–F

Ebeling SC, Kelly SM, O'Kennedy BT, Price NC, Sheehan D – Surface activity properties of cysteine-substituted C-terminal melittin analogues, 503
Egebjerg J – See Holst-Hansen P *et al*, 725
Ehrenberg M – See MacDougall J *et al*, 243 – See Pavlov MY *et al*, 415
El Kebbaj MS, Latruffe N, Alkylation at the active site of the D-3-hydroxybutyrate dehydrogenase (BDH), a membrane phospholipid-dependent enzyme, by 3-chloroacetyl pyridine dinucleotide (3-CAPAD), 37
El-Shabrawi Y – See Hoefler G *et al*, 163
Emich-Widera E – See Kwiatkowska J *et al*, 439
Eurwilaichitr L – See Urbero B *et al*, 27
Faig M – See Prigge ST *et al*, 629
Fasiolo F – See Grosjean H *et al*, 293
Faucher C – See Kannouche P *et al*, 599
Faure M – See Cohen-Addad C *et al*, 637
Fazakerley GV – See Roll C *et al*, 593
Ferre E – See Giardina T *et al*, 265
Finotti P – Biphasic pattern of heparin-induced oxidative degradation of trypsin in the presence of glucose, 351
Fischer G, Kyriacou A, Decaris B, Leblond P – Genetic instability and its possible evolutionary implica-

tions on the chromosomal structure of *Streptomyces*, 555
Fontecilla-Camps JC, Frey M, Garcin E, Hatchikian C, Montet Y, Piras C, Vernède X, Volbeda A – Hydrogenase: A hydrogen-metabolizing enzyme. What do the crystal structures tell us about its mode of action?, 661
Foray N, Arlett CF, Malaise EP – Radiation-induced DNA double-strand breaks and the radiosensitivity of human cells: A closer look, 567
Foresta P – See Hertel L *et al*, 717
Foucher C – See Narce M *et al*, 135
Fourrier F – See Carrette O *et al*, 749
Freestone P – See Goldberg MD *et al*, 315
Freistroffer DV – See MacDougall J *et al*, 243 – See Pavlov MY *et al*, 415
Frenoux JM – See Narce M *et al*, 135
Frey M – See Fontecilla-Camps JC *et al*, 661
Fruchart JC – See Staels B *et al*, 95
Futami T – See Wakiyama M *et al*, 781

G

Gachet Y, Carpentier G, Chousterman S, Purification of an atypical bovine interferon induced in response to heat shock in bovine cultured cells. Characterization in comparison with the classical α, β and γ interferon, 43
Gaffney BJ – See Prigge ST *et al*, 629
Gagnon J – See Jouve HM *et al*, 667
Galas-Zgorzalewicz B – See Kwiatkowska J *et al*, 439
Ganoza MC, See Aoki H *et al*, 7
García-Peregrín E – See Talavera EM *et al*, 333
Garcin E – See Fontecilla-Camps JC *et al*, 661
Gariglio M – See Hertel L *et al*, 717
Gendrel CG – See Debrauwere H *et al*, 577
Geourjon C – See Deléage G *et al*, 681
Germain S – See Narce M *et al*, 135
Giardina T, Biagini A, Dalle Ore F, Ferre E, Reynier M, Puigserver A, The hog intestinal mucosa acylase I: Subcellular localization, isolation, kinetic studies and biological function, 265
Gigant B – See Charbonnier JB *et al*, 653
Gil-Villarino A – See Talavera EM *et al*, 333
Giovannini E – See Talesa V *et al*, 397
Girard PM, Boiteux S – Repair of oxidized DNA bases in the yeast *Saccharomyces cerevisiae*, 559
Glitz DG – See Wiggers RJ *et al*, 365
Goldberg MD, Canvin JR, Freestone P, Andersen C, Laoudj D, Williams PH, Holland IB, Norris V – Artefactual cleavage of *E coli* H-NS by OmpT, 315
Golinelli-Pimpaneau B – See Charbonnier JB *et al*, 653
Gonzalez FJ, Recent update on the PPARα-null mouse, 139
Gouet P – See Jouve HM *et al*, 667
Griffon B – See Dyé F *et al*, 3
Grosjean H, Szweykowska-Kulinska Z, Motorin Y, Fasiolo F, Simos G, Intron-dependent enzymatic formation of modified nucleosides in eukaryotic trnas: A review, 293
Grub S – See Berlot *et al*, 145
Guarneros G – See Hernández J *et al*, 527
Gustafsson JÅ – See Corton JC *et al*, 151

H

Hadian H – See Wiggers RJ *et al*, 365
Hajdu J – See Jouve HM *et al*, 667
Halligan BD – See Guillams TG *et al*, 13
Harris F, Phoenix DA, An investigation into the surface activity of C-terminal homologues of *Escherichia coli* low molecular mass penicillin-binding proteins 4, 5 and 6, 171
Hatchikian C – See Fontecilla-Camps JC *et al*, 661
Hernández J, Ontiveros C, Valadez JG, Buckingham RH, Guarneros G – Regulation of protein synthesis by minigene expression, 527
Herráez A – See Jordán JA *et al*, 53
Hertel L, Foresta P, Barbiero G, Ying GG, Bonelli G, Baccino FM, Landolfo S, Gariglio M – Decreased expression of the high-mobility group protein T160 by antisense RNA impairs the growth of mouse fibroblasts, 717
Hjerpe A – See Tzanakakis GN *et al*, 323
Hoefler G, Noehammer Ch, Levak-Frank S, El-Shabrawi Y, Schauer S, Zechner R, Radner H, Muscle-specific overexpression of human lipoprotein lipase in mice causes increased intracellular free fatty acids and induction of peroxisomal enzymes, 163
Holland IB – See Autret S *et al*, 549
Holland IB – See Goldberg MD *et al*, 315
Holst-Hansen P – See MacDougall J *et al*, 243 – Holst-Hansen P, Kildsgaard J, MacDougall J, Palacios Moreno JM, Egebjerg J, Mortensen KK, Sperling-Petersen HU – Immunochemical determination of the cellular content of polypeptide chain release factor RF3 in *Escherichia coli,* 725
Hu E – See Spiegelman *et al*, 111
Husson A – See Quillard *et al*, 125
Hyrien O, Maric C, Lucas I – Role of nuclear architecture in the initiation of eukaryotic DNA replication, 541

I–J

Ito K – See Taura T *et al*, 517
Ito K, Nakamura Y, Cloning and overexpression of polypeptide release factor 1 of *Thermus thermophilus*, 287
Jakab G, Mougin A, Kis M, Pollák T, Antal M, Branlant C, Solymosy F – *Chlamydomonas* U2, U4 and U6 snRNAs. An evolutionary conserved putative third interaction between U4 and U6 snRNAs which has a counterpart in the $U4_{atac}$-$U6_{atac}$ snRNA duplex, 387
Jeannequin O – See Chouard T *et al*, 707
Jordán JA, Murciano JC, Lotero A, Herráez A, Díez JC, *In vitro* properties and organ uptake of rat band 3 cross-linked erythrocytes, 53
Jourdain M – See Carrette O *et al*, 749
Jouve HM, Andreoletti P, Gouet P, Hajdu J, Gagnon J – Structural analysis of compound I in hemoproteins: Study on *Proteus mirabilis*, 667
Jullian N – See Roques BP *et al*, 673

K

Kahn A, Transcriptional regulation by glucose in the liver, 113
Kalapos MP – See Cao GJ *et al*, 211
Kalapos MP, Paulus H, Sarkar N – Identification of ribosomal protein S1 as a poly(A) binding protein in *Escherichia coli,* 493
Kannouche P, Pinon-Lataillade G, Mauffrey P, Faucher C, Biard DSF, Angulo JF – Overexpression of kin17 protein forms intranuclear foci in mammalian cells, 599
Karamanos NK – See Tzanakakis GN *et al*, 323
Katz BZ, Yamada KM – Integrins in morphogenesis and signaling, 467
Kelly SM – See Ebeling SC *et al*, 503
Ketterlé C – See Roll C *et al*, 593
Kildsgaard J – See Holst-Hansen P *et al*, 725
Kim JB – See Spiegelman *et al*, 111
Kis M– See Jakab G *et al*, 387
Knossow M – See Charbonnier JB *et al*, 653
Konieczyn L – See Stopa B *et al*, 23
Kress M – See Urbero B *et al*, 27
Kreutzer R – See Vornlocher HP *et al*, 195
Kulpa V – See Tua-Smith A *et al*, 341
Küpper JH, Wolf I, Bürkle A, NAD^+ loading of mammalian cells by electrotransfection leads to increased poly(ADP-ribosyl)ation capacity, 175
Kwiatek O – See Usmanova A *et al*, 485
Kwiatkowska J, Lisiecka D, Sowinska J, Marszal E, Emich-Widera E, Ciesielski T, Szczególa-Przymusiak A, Nuc P, Chlebowska H, Zimowski J, Galas-Zgorzalewicz B, Slomski R – Deletion screening and carrier detection in Duchenne muscular dystrophy in Polish population *via* direct analysis of DNA and RNA transcripts, 439
Kyriacou A – See Fischer G *et al*, 555

L

Lacasa M – See Rodolosse *et al*, 119
Landolfo S – See Hertel L *et al*, 717
Laoudj D – See Goldberg MD *et al*, 315
Latruffe N – See El Kebbaj MS, 37 – See Berlot *et al*, 145 – See Latruffe N, Vamecq J, Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism, 81
Lavoinne A – See Quillard *et al*, 125
Le Caer JP – See Motorin Y *et al*, 731
Le Goff X – See Urbero B *et al*, 27
Lebart MC – See Usmanova A *et al*, 485
Leblond P – See Fischer G *et al*, 555
Lechat S – See Debrauwere H *et al*, 577
Leijon M, Leroy JL – Internal motions of nucleic acid structures and the determination of base-pair lifetimes, 775
Leitão AC – See Asad LMBO *et al*, 359
Leroy JL – See Leijon M, Leroy JL, 775
Lesca C, Vispé S, Defais M, Characterization of the sensitivity to various genotoxic agents of the UVU1 CHO cell line, a double mutant from UV complementation group 1, 261
Levak-Frank S – See Hoefler G *et al*, 163
Levine A – See Autret S *et al*, 549
Li Z, Phillips NFB, Involvement and identification of a lysine in the PPi-site of pyrophosphate-dependent phosphofructokinase from *Giardia lamblia,* 221
Lisiecka D – See Kwiatkowska J *et al*, 439
Lotero A – See Jordán JA *et al*, 53
Louters LL – See Michele DE *et al*, 457
Lowenstein JM – See Pawelczyk T, Lowenstein JM, 741
Lucas I – See Hyrien O *et al*, 541

M

MacDougall J, Holst-Hansen P, Mortensen KK, Freistroffer DV, Pavlov MY, Ehrenberg M, Buckingham RH, Purification of active *Escherichia coli* ribosome recycling factor (RRF) from an osmoregulated expression system, 243 – See Holst-Hansen P *et al*, 725
Macherel D – See Cohen-Addad C *et al*, 637
Macleod RM – See Bucovaz ET *et al*, 787
Malaise EP – See Foray *et al*, 567
Maric C – See Hyrien O *et al*, 541
Marszal E – See Kwiatkowska J *et al*, 439
Mauffrey P – See Kannouche P *et al*, 599
Meisse D – See Quillard *et al*, 125
Merritt A – See Corton JC *et al*, 151
Michele DE, Thomsen D, Louters LL – Vanadates form insoluble complexes with histones, 457
Miura K – See Wakiyama M *et al*, 781
Miyaoka T – See Badruzzaman M *et al*, 407
Mizon C – See Carrette O *et al*, 749
Mizon J – See Carrette O *et al*, 749
Montet Y – See Fontecilla-Camps JC *et al*, 661
Moolenaar WH – See Zondag GCM and Moolenaar WH, 477
Morellet N – See Roques BP *et al*, 673
Moreno ES – See Corton JC *et al*, 151
Morrical SW – See Yassa DS *et al*, 275
Morrison JC – See Bucovaz ET *et al*, 787
Mort JS – See Cygler M and Mort JS, 645
Mortensen KK – See MacDougall J *et al*, 243 – See Holst-Hansen P *et al*, 725

Mosevitsky MI, Capony JP, Skladchikova GYu, Novitskaya VA, Plekhanov AYu, Zakharov VV – The BASP1 family is abundant in axonal termini myristoylated proteins. Primary structure analysis and physico-chemical properties, 373

Motojima K, Peroxisome proliferator-activated receptor (PPAR)-dependent and -independent transcriptional modulation of several non-peroxisomal genes by peroxisome proliferators, 101

Motorin Y – See Grosjean H *et al*, 293 – See Motorin Y, Le Caer JP, Waller JP – Cysteinyl-tRNA synthetase from *Saccharomyces cerevisiae*. Purification, characterization and assignment to the genomic sequence YNL247w, 731

Mougin A– See Jakab G *et al*, 387

Muegge K – See Candéias SM *et al*, 607

Murciano JC – See Jordán JA *et al*, 53

Musat GV, Neumann JM, Smith JC, Sanson A – Structure of human annexin I: Comparison of homology modelling and crystallographic experiment, 691

N–P

Nakamura Y – See Ito K and Nakamura Y, 287

Narce M, Frenoux JM, Dardel V, Foucher C, Germain S, Delachambre MC, Poisson JP, Fatty acid metabolism, pharmacological nutrients and hypertension, 135

Neuburger M – See Cohen-Addad C *et al*, 637

Neumann JM – See Musat GV *et al*, 691

Niot I, Poirier H, Besnard Ph, Regulation of gene expression by fatty acids: Special reference to fatty acid binding protein (FABP), 129

Noehammer Ch – See Hoefler G *et al*, 163

Nomura M – See Azuma Y *et al*, 247

Norris V – See Goldberg MD *et al*, 315

Novitskaya VA – See Mosevitsky MI *et al*, 373

Nuc P – See Kwiatkowska J *et al*, 439

O'Kennedy BT – See Ebeling SC *et al*, 503

Ober R – See Cohen-Addad C *et al*, 637

Ohno T – See Badruzzaman M *et al*, 407

Oleinikov AV – See Wiggers RJ *et al*, 365

Ontiveros C – See Hernández J *et al*, 527

Palacios Moreno JM – See Holst-Hansen P *et al*, 725

Papa I – See Usmanova A *et al*, 485

Paulus H – Kalapos MP *et al*, 493

Pavlov MY – See MacDougall J *et al*, 243 – Pavlov MY, Freistroffer DV, Ehrenberg M – Synthesis of region-labelled proteins for NMR studies by *in vitro* translation of column-coupled mRNAs, 415

Pawelczyk T, Lowenstein JM – The effect of different molecular species of sphingomyelin on phospholipase C δ1 activity, 741

Peikarska B – See Stopa B *et al*, 23

Pelagalli A – See Belisario MA *et al*, 449

Pérez MI – See Talavera EM *et al*, 333

Phillips NFB – See Li Z and Phillips NFB, 221

Phoenix DA – See Harris F and Phoenix DA, 171

Pinon-Lataillade G – See Kannouche P *et al*, 599

Piras C – See Fontecilla-Camps JC *et al*, 661

Plekhanov AYu – See Mosevitsky MI *et al*, 373

Poirier H – See Niot *et al*, 129

Poisson JP – See Narce M *et al*, 135

Pollák T– See Jakab G *et al*, 387

Price NC – See Ebeling SC *et al*, 503

Prigge ST, Boyington JC, Faig M, Doctor KS, Gaffney BJ, Amzel LM – Structure and mechanism of lipoxygenases, 629

Puigserver A – See Giardina T *et al*, 265

Q–R

Quillard M, Renouf S, Husson A, Meisse D, Lavoinne G, Glutamine and regulation of gene expression in mammalian cells. Special reference to phosphoenolpyruvate carboxykinase (PEPCK), 125

Radner H – See Hoefler G *et al*, 163

Raimo G – See De Vendittis E *et al*, 303

Renouf S – See Quillard *et al*, 125

Rey-Campos J – See Chouard T *et al*, 707

Reynier M – See Giardina T *et al*, 265

Rocquigny H (de) – See Roques BP *et al*, 673

Rodolosse A, Carrière V, Chantret I, Lacasa M, Zweibaum A, Rousset M, Glucose-dependent transcriptional regulation of the human sucrase-isomaltase (SI) gene, 119

Roll C, Ketterlé C, Boulard Y, Fazakerley GV – Structure of oligonucleotides with either a strand break or a bulged nucleotide, 593

Romani R – See Talesa V *et al*, 397

Roques BP, Morellet N, Rocquigny H (de), Demene N, Schueler W, Jullian N – Structure, biological functions and inhibition of the HIV-1 proteins Vpr and NCp7, 673

Rosi G – See Talesa V *et al*, 397

Roterman I – See Stopa B *et al*, 23

Rousset M – See Rodolosse *et al*, 119

Roustan C – See Usmanova A *et al*, 485

Rúa J, Soler J, Busto F, de Arriaga D, Effect of pH on the role of Mg^{2+} and Mn^{2+} on *Phycomyces* isocitrate lyase kinetics, 179

Rybarska J – See Stopa B *et al*, 23

S

Sánchez-de-Jiménez E, Aguilar R, Dinkova T, S6 ribosomal protein phosphorylation and translation of stored mRNA in maize, 187

Sanson A – See Musat GV *et al*, 691

Sarasin A – See Bounacer A *et al*, 619

Sarkar N – See Cao GJ *et al*, 211 – Kalapos MP *et al*, 493

Schauer S – See Hoefler G *et al*, 163

Schlumberger M – See Bounacer A *et al*, 619

Schoonjans K – See Staels B *et al*, 95

Schueler W – See Roques BP *et al*, 673

Seiffert D, Wagner NV, Evidence for a specific interaction of vitronectin with arginine: Effects of reducing agents on the expression of functional domains and immunoepitopes, 205

Serdyuk IN – See Ulitin AB *et al*, 523

Séror SJ – See Autret S *et al*, 549

Sheehan D – See Ebeling SC *et al*, 503

Shimoyama M – See Badruzzaman M *et al*, 407

Sieker L – See Cohen-Addad C *et al*, 637

Silva AB – See Asad LMBO *et al*, 359

Simos G – See Grosjean H *et al*, 293

Sismeiro O – See Coudart-Cavalli MP *et al*, 757

Skladchikova GYu – See Mosevitsky MI *et al*, 373

Skowronek M – See Stopa B *et al*, 23

Slomski R – See Kwiatkowska J *et al*, 439

Smith JC – See Musat GV *et al*, 691

Soler J – See Rúa J *et al*, 179

Solymosy F– See Jakab G *et al*, 387

Sørensen HN – See Steineger HH *et al*, 107

Sowinska J – See Kwiatkowska J *et al*, 439

Sperling-Petersen HU – See Holst-Hansen P *et al*, 725

Spiegelman BM, Hu E, Kim JB, Brun R, PPARγ and the control of adipogenesis, 111

Sprinzl M – See Vornlocher HP *et al*, 195

Spydevold Ø – See Steineger HH *et al*, 107

Squillacioti C – See Staiano N *et al*, 769

Staels B, Schoonjans K, Fruchart JC, Auwerx J, The effects of fibrates and thiazolidinediones on plasma triglyceride metabolism are mediated by distinct peroxisome proliferator activated receptors (PPARs), 95

Staiano N – See Belisario MA *et al*, 449

Staiano N, Della Morte R, Di Domenico C, Tafuri S, Squillacioti C, Belisario MA, Di Natale P – Echistatin inhibits $pp72^{syk}$ and $pp125^{FAK}$ phosphorylation in fibrinogen-adherent platelets, 769

Stansfield I – See Urbero B *et al*, 27

Steineger HH, Arntsen BM, Spydevold Ø, Sørensen HN, Retinoid X receptor (RXRα) gene expression is regulated by fatty acids and dexamethasone in hepatic cells, 107

Stopa B, Konieczyn L, Peikarska B, Roterman I, Rybarska J, Skowronek M, Effect of self association of bis-ANS and bis-azo dyes on protein binding, 23

Suárez HG – See Bounacer A *et al*, 619

Szczególa-Przymusiak A – See Kwiatkowska J *et al*, 439

Szweykowska-Kulinska Z – See Grosjean H *et al*, 293

T

Tabb MM – See Azuma Y *et al*, 247

Tafuri S – See Staiano N *et al*, 769

Tainturier G – See Berlot *et al*, 145

Takio K – See Azuma Y *et al*, 247

Talavera EM, Zafra MF, Gil-Villarino A, Pérez MI, Alvarez-Pez JM, García-Peregrín E – Changes in chemical composition and physico-chemical properties of chick low- and high-density lipoproteins induced by supplementation of coconut oil to the diet, 333

Talesa V, Romani R, Rosi G, Giovannini E – Acetylcholinesterase in *Spirographis spallanzanii* (Polychaeta: Sedentaria): Presence of two dimeric membrane-bound forms, 397

Tassan JP – See Urbero B *et al*, 27

Taura T, Yoshihisa T, Ito K – Protein translocation functions of *Escherichia coli* SecY: *In vitro* characterization of cold-sensitive *secY* mutants, 517

Temesvari LA, Cotter DA, Trehalase of *Dictyostelium discoideum*: Inhibition by amino-containing analogs of trehalose and affinity purification, 229

Teng M – See Guillams TG *et al*, 13

Terashima M – See Badruzzaman M *et al*, 407

Teubner B – See Causeret C *et al*, 423

TG Guillams, Teng M, Halligan BD, Site directed DNA joining, 13

Thomsen D – See Michele DE *et al*, 457

Torriglia A, Chaudun E, Courtois Y, Counis MF – On the use of Zn^{2+} to discriminate endonucleases activated during apoptosis, 435

Traincard F – See Chouard T *et al*, 707

Traut RR – See Wiggers RJ *et al*, 365

Tsuchiya M – See Badruzzaman M *et al*, 407

Tua-Smith A, Wang J, Kulpa V, Wernette CM – Mitochondrial DNA topoisomerase I of *Saccharomyces cerevisiae*, 341

Tuite MF – See Urbero B *et al*, 27

Turner MA, See Aoki H *et al*, 7

Tzanakakis GN, Hjerpe A, Karamanos NK – Proteoglycan synthesis induced by transforming and basic fibroblast growth factors in human malignant mesothelioma is mediated through specific receptors and the tyrosine kinase intracellular pathway, 323

U–V

Ulitin AB, Agalarov SCh, Serdyuk IN – Preparation of a 'beheaded' derivative of the 30S ribosomal subunit, 523

Urbero B, Eurwilaichitr L, Stansfield I, Tassan JP, Le Goff X, Kress M, Tuite MF, Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues, 27

Usmanova A, Astier C, Lebart MC, Kwiatek O, Papa I, Boyer M, Roustan C, Benyamin Y – Analysis of long range structural effects induced by DNase-I interaction with actin monomeric form or complexed to CapZ, 485

Valadez JG – See Hernández J *et al*, 527

Vamecq J – See Latruffe N and Vamecq J, 81

Vernède X – See Fontecilla-Camps JC *et al*, 661

Vispé S – See Lesca C *et al*, 261 – Vispé S, Defais M – Mammalian Rad51 protein: A RecA homologue with pleiotropic functions, 587
Volbeda A – See Fontecilla-Camps JC *et al*, 661
Vornlocher HP, Kreutzer R, Sprinzl M, Organization of the *Thermus thermophilus nusA/infB* operon and overexpression of the *infB* gene in *Escherichia coli,* 195
Vu L – See Azuma Y *et al*, 247

W–Z

Wagner NV – See Seiffert D and Wagner NV, 205
Wakiyama M, Futami T, Miura K – Poly(A) dependent translation in rabbit reticulocyte lysate, 781
Waller JP – See Motorin Y *et al*, 731
Wang J – See Tua-Smith A *et al*, 341
Wernette CM – See Tua-Smith A *et al*, 341
Whybrew WD – See Bucovaz ET *et al*, 787
Wicker R – See Bounacer A *et al*, 619
Wiggers RJ, Hadian H, Traut RR, Oleinikov AV, Glitz DG – Localization of two domains of a mutant form of *Escherichia coli* protein L7/L12 that binds the large ribosomal subunit as a single dimer, 365
Williams PH – See Goldberg MD *et al*, 315
Wolf I – See Küpper JH *et al*, 175
Yamada K – See Badruzzaman M *et al*, 407 – See Katz BZ and Yamada, 467
Yamamori C – See Badruzzaman M *et al*, 407
Yaniv M – See Chouard T *et al*, 707
Yassa DS, Chou KM, Morrical SW, Characterization of an amino-terminal fragment of the bacteriophage T4 uvsY recombination protein, 275
Ying GG – See Hertel L *et al*, 717
Yoshihisa T – See Taura T *et al*, 517
Zafra MF – See Talavera EM *et al*, 333
Zakharov VV – See Mosevitsky MI *et al*, 373
Zechner R – See Hoefler G *et al*, 163
Zimowski J – See Kwiatkowska J *et al*, 439
Zondag GCM, Moolenaar WH – Receptor protein tyrosine phosphatases: Involvement in cell-cell interaction and signaling, 477
Zweibaum A – See Rodolosse *et al*, 119